

References

- Allendorf, F. W., D. Bayles, D. L. Bottom, K. C. Currens, C. A. Frissell, D. Hankin, J. A. Lichatowich, W. Nehlsen, P.C. Totter, and T. H. Williams. 1997. Prioritizing Pacific salmon stocks for conservation. *Cons. Biol.* 11:140-152.
- Ames, J. and D. Phinney. 1977. 1977 Puget Sound Summer-Fall Chinook Methodology: Escapement Estimates and Goals, Run Size Forecasts, and In-Season Run Size Updates. Technical Report No. 29. Washington Department of Fisheries.
- Baldwin, D. H., J. F. Sandahl, J. S. Labenia, N. L. Scholz. 2003. Sublethal effects of copper on coho salmon: impacts on nonoverlapping receptor pathways in the peripheral olfactory nervous system. *Environmental Toxicology and Chemistry*, 22(10):2266-2274.
- Bartelheimer, Ryan. 2005. Personal communication. Snohomish Conservation District. Everett, WA.
- Beamer, E., and G. R. Pess. 1999. Effects of peak flows on Chinook (*Oncorhynchus tshawytscha*) spawning success in two Puget Sound River Basins. Proceedings of AWRA's 1999 Annual Water Resources Conference - Watershed Management to Protect Declining Species, pp. 67-70. Seattle, WA. December 5-9, 1999.
- Beamer, E., G. R. Pess and A E. Steele. 2000. Effects of Peak Flows and Spawning Density on Chinook Spawning Success in Two Puget Sound River Basins. In prep. *Canadian Journal of Fisheries and Aquatic Sciences*.
- Beamer, E., C. Greene, A. McBride, C. Rice, and K. Larsen. 2003. Recovery planning for ocean-type Chinook salmon in the Skagit River: Results from a decade of field studies. http://www.skagitcoop.org/EB_SkagitChinookStudy-10yearSummary.pdf
- Beamer, E., A. McBride, R. Henderson, and K. Wolf. 2003. The importance of non-natal pocket estuaries in Skagit Bay to wild Chinook salmon: an emerging priority for restoration. Skagit System Cooperative Research Department Technical Report. P.O. Box 368, La Conner, WA. 9 pp.
- Beverton, J.H. and S.J. Holt. 1957. *On the Dynamics of Exploited Fish Populations*. Chapman and Hall. Fish and Fisheries Series 11.
- Bjornn, T. C., and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W.R. Meehan, (ed). *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special publication 19. American Fisheries Society. Bethesda, Maryland.
- Booth, D.B., and C.R. Jackson. 1997. Urbanization of aquatic systems: degradation thresholds, stormwater detention and the limits of mitigation. *Journal of the American Water Resources Association*. 33(5): 1077-1090.7

*Stillaguamish Watershed
Chinook Salmon Recovery Plan*

- Bortleson, G.C., M.J. Chrzastowski, and A.K. Helgerson. 1980. Historical changes of shoreline and wetland at eleven major deltas in the Puget Sound region, Washington. U.S. Geological Survey Hydrological Investigations Atlas HA-617.
- Brannon, E.L., et al. 2004. The Controversy about Salmon Hatcheries. A.F.S. Fisheries. September 2004: vol. 29. no. 9, pp 12-31.
- Brennan, J.S., K.F. Higgins, J.R. Cordell, and V.A. Stamatiou. 2004. Juvenile Salmon Composition, Timing, Distribution, and Diet in Marine Nearshore Waters of Central Puget Sound in 2001-2002. King County Department of Natural Resources and Parks. Seattle, WA. 164 pp.
- Busack, C., K.P. Currens, T.D. Pearsons, and L. Mobrand. 2005. Tools for Evaluating Ecological and Genetic Risks in Hatchery Programs. Final Report. BPA Project No. 2003-058-00. Contract No. BPA 00016399.
- Busack, C. A., and K.P. Currens. 1995. Genetic risks and hazards in hatchery operations: fundamental concepts and issues. American Fisheries Society Symposium.15:71-80.
- Climate Impacts Group (CIG). July 2004. Overview of Climate Change Impacts in the U.S. Pacific Northwest. University of Washington, Seattle, WA.
- Collins, Brian. 1997. Effects of Land Use on the Stillaguamish River, Washington, ~1870 to ~1990: Implications for Salmonid Habitat and Water Quality and Their Restoration. Project Completion Report to Stillaguamish Tribe Natural Resource Department, Arlington, WA.
- Collins, B.D., and A.J. Sheikh. 2003. Historical aquatic habitat in river valleys and estuaries of the Nooksack, Skagit, Stillaguamish, and Snohomish watersheds. Unpublished report to the Northwest Fisheries Science center, National Marine Fisheries Service, Seattle, WA.
- Crance, Johnie H. 1988. Relationships Between Palustrine Wetlands of Forested Riparian Floodplains and Fishery Resources: A Review. Report 88(32). Washington, D.C., U.S. Department of the Interior, Fish and Wildlife Service, Research and Development.
- Currens, K. P., and M. Ford. 1999. Appendix B of the Draft Hatchery Genetic Management Plan Template. National Marine Fisheries Service. Seattle, WA.
- Dethier, Megan D. and Sally D. Hacker. 2004. Improving Management Practices for Invasive Cordgrass in the Pacific Northwest: A Case Study of *Spartina anglica*. Publication No. WSG-AS 04-05. Washington Sea Grant Program, College of Ocean and Fishery Sciences, University of Washington. Seattle, WA.
- DNR (Washington State Department of Natural Resources). 2001. Washington State ShoreZone Inventory. Nearshore Habitat Program. Olympia, WA.
- DNR (Washington Department of Natural Resources). 2002. Statewide Transportation Layer. 24k-Scale GIS Data.
- DOE (Washington State Department of Ecology). 2004. Stillaguamish River Watershed Fecal Coliform, Dissolved Oxygen, pH, Mercury, and Arsenic Total Maximum Daily Load Study. July, 2004. Publication No. 04-03-017. Olympia, WA. <http://www.ecy.wa.gov/biblio/0403017.html>.

- Dunne, T. and L. B. Leopold. 1978. *Water in Environmental Planning*. W.H. Freeman and Co., New York.
- Edwards, Sean L. 2003. *Forestry Policy Analysis for Salmon Recovery Planning in the Stillaguamish Watershed (WRIA 5): Report to the Stillaguamish Implementation Review Committee*. Snohomish County Department of Public Works, Surface Water Management Division, Everett, WA.
- Eldridge, W. and Killebrew, K. Unpublished data. *Genetic Diversity in Supplemented North Fork Stillaguamish River Chinook Salmon: 1980-2001*.
- Griffith, J., R. Rogers, J. Drotts, and P. Stevenson. March 2003. *Annual Report 2002, Stillaguamish River Smolt Trapping Project*. Stillaguamish Tribe of Indians, Arlington, WA.
- Greene, C. 2005. Personal communication. National Oceanic and Atmospheric Administration, Seattle, WA.
- Groot, C., and L. Margolis, (eds). 1991. *Pacific salmon life histories*. University of British Columbia Press, Vancouver, BC.
- Haas, A.D, F.E. Leonetti, L.T. Parker, M.D. Purser and M.D. Rustay. 2003. *Stillaguamish River Bank and Physical Habitat Conditions Survey – 2002 Summary Report*. Snohomish County Department of Public Works, Surface Water Management Division, Everett, WA.
- Hartman, G.F., J.C. Scrivener, and M.J. Miles. 1996. Impacts of logging in Carnation Creek, a high-energy coastal stream in British Columbia and their implication for restoring fish habitat. *Can. J. Fish. Aquat. Sci.* Vol. 53(Suppl. 1).
- Hawkins, S. 1998. *Residual hatchery smolt impact study: wild fall Chinook mortality 1995-1997; Columbia River Progress Report #98-8*. Washington Department of Fish and Wildlife, Vancouver, WA.
- Healey, M. C. 1991. Life history of Chinook salmon, (*Oncorhynchus tshawytscha*). Pages 313-393 in C. Groot and L. Margolis, (eds). *Pacific Salmon Life Histories*. UBC Press, University of British Columbia, Vancouver, Canada.
- Henri, Carolyn and Aaron Waller. 2004. *Economics of Riparian Restoration on Selected Stillaguamish Farms*. Final project report prepared for the Stillaguamish Implementation Review Committee (SIRC), Washington State Department of Agriculture (Contract #03-02001), and US Fish and Wildlife Service (Contract #134102J010). April 20, 2004. Resource Consulting, Arlington, WA.
- HGMP (Hatchery and Genetic Management Plan). 2000. *US/Canada Chinook Indicator Stock Study and Restoration Program*. Stillaguamish Summer/Fall Chinook. Stillaguamish Tribe. May 31, 2000.
- Hood, W. G. 2004. Indirect Environmental Effects of Dikes on Estuarine Tidal Channels: Thinking Outside of the Dike for Habitat Restoration and Monitoring. *Estuaries*. Vol. 27, No. 2:273-282.
- Hornbeck, J.W., R.S. Pierce, and C.A. Federer. 1970. Streamflow changes after forest clearing in New England. *Water Res. Research*. 6:1124-1132.

- HSRG (Hatchery Scientific Review Group) – Lars Moberand (chair), John Barr, H. Lee Blankenship, Donald Campton, Trevor Evelyn, Ton Flagg, Conrad Mahnken, Paul Seidel, Lisa Seeb, and Bill Smoker. April 2005. Puget Sound and Coastal Washington Hatchery Reform Project: Progress Report to Congress. Long Live the Kings, 1326 Fifth Avenue, Suite 450, Seattle, WA 98101 (available from www.hatcheryreform.org). Cite in test as HSRG 2005.
- HSRG (Hatchery Scientific Review Group). 2005. HSRG Technical Discussion Paper #3. When Do You Start A Conservation Hatchery Program? March 7, 2005.
- HSRG (Hatchery Scientific Review Group). 2002. -Hatchery Reform Recommendations. February 2002.
- ISAB (Independent Scientific Advisory Board). 2002. Hatchery surpluses in the Pacific Northwest. Fisheries 27(12):16-27.
- Klein, R.D. 1979. Urbanization and stream quality impairment. Water Res. Bull. 15:948-963.
- Lisle, T., and R.E. Eads. 1991. Methods to measure sedimentation of spawning gravels. USDA-FS Pacific Southwest Research Station, Research Note PSW-411.
- Marshall, A.R. et al. 1995. Genetic diversity units and major ancestral lineages for chinook salmon in Washington. Washington Department of Fish and Wildlife Tech. Rep. RAD 95-02.
- Mantua, Nathan J., Steven R. Hare, Yuan Zhang, John M. Wallace, and Robert C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. Bulletin of the American Meteorological Society. Vol 78, p. 1069-1079.
- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstet. 2000. Viable salmon populations and the recovery of evolutionary significant units. NOAA Technical Memorandum NMFS-NWFSC-42, Seattle, WA.
- Mena, Nora. 2005. Personal communication. Washington State Department of Agriculture. Olympia, WA.
- Middaugh, Randy. 2005. Personal communication. Snohomish County Planning and Development Services Department. Everett, WA.
- Miller, C and D. Somers. 1989. TFW Stillaguamish river early action project. Tulalip Tribes Natural Resources Department, Marysville, WA.
- Moberand Biometrics. 2005. Future Scenario Population Performance. Ecosystem diagnosis and treatment model report to Snohomish County Surface Water Management – March 31, 2005.
- Moberand Biometrics. 2004. Future Scenario Population Performance. Ecosystem diagnosis and treatment model report to Snohomish County Surface Water Management – May 14, 2004.
- Murphy, Michael L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska – Requirements for protection and restoration. NOAA Coastal Ocean Program Decision Analysis Series No. 7. NOAA Coastal Ocean Office. October 1995. Silver Springs, MD. 156 pp.

- Nelson K. A. Loch, and G. Lucchetti. 1997. Wild coho salmon indicator stock study for the Stillaguamish River. Tulalip Tribes Natural Resources Department, Marysville, WA.
- Nichols, R. A., A. D. Zander and J. M. Shultz. 1990. A Methodology for Watershed Cumulative Effects Analyses Utilizing Vegetative Disturbances. USDA Forest Service-Mt Baker Snoqualmie National Forest, Sedro Woolley, WA.
- Nickelson, T. E., M. F. Solazzi, and S. L. Johnson. 1986. Use of hatchery coho (*Oncorhynchus kisutch*) pre-smolts to rebuild wild populations in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 43:443-229.
- NMFS (National Marine Fisheries Service). 2000. Viable salmonid populations and the recovery of evolutionarily significant units. Report to the National Marine Fisheries Service, Seattle, WA. 170pp.
- NMFS (National Marine Fisheries Service), Northwest Regional Protected Resources Division. 2000. Endangered Species Act reinitiated section 7 consultation, Biological Opinion. Effects of Pacific Coast Ocean and Puget Sound Salmon Fisheries During the 2000-2001 Annual Regulatory Cycle, p. 96.
- NMFS (National Marine Fisheries Service), Northwest Regional Protected Resources Division. 1999. Endangered Species Act-reinitiated section 7 consultation, Biological Opinion. Approval of the Pacific Salmon Treaty by the U.S. Department of State and Management of the Southeast Alaska Salmon Fisheries Subject to the Pacific Salmon Treaty, p. 27.
- NMFS (National Marine Fisheries Service). 1996. Coastal Salmon Conservation: Working Guidance for Comprehensive Salmon Restoration Initiatives on the Pacific Coast.
- NMFS website: www.nmfs.noaa.gov/prot_res/PR2/Stock_Assessment_Program/individual_sars.html
- Mt. Baker-Snoqualmie National Forest, Darrington District. 1995. Watershed Analysis: Upper South Fork Stillguamish River. Darrington, WA.
- Pearcy, W. G. 1992. Ocean ecology of the North Pacific salmon. Univ. Washington Press, Seattle, WA. 179p.
- Perkins, S.J., and B.D. Collins. 1997. Landslide and channel response inventory for the Stillaguamish Watershed, Snohomish and Skagit Counties, Washington. Unpublished report.
- Pess, G. R., B. D. Collins, M. Pollock, T. J. Beechie, A. Haas, and S. Grigsby. 1999. Historic and current factors that limit coho salmon (*Oncorhynchus kisutch*) production in the Stillaguamish River basin Washington State: implication for salmonid habitat protection and restoration. Prepared for Snohomish County Department of Public Works, Stillaguamish Tribe, and Tulalip Tribes.
- Pess, G., and L. Benda. 1994. Spatial and temporal dynamics of spawning Chinook salmon in the North Fork Stillaguamish River, WA. *Geological Society of America Abstracts with Programs*. 26(7): 440.

*Stillaguamish Watershed
Chinook Salmon Recovery Plan*

- Peterson, N. P., A. Hendry, and T. P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions. Report Prepared for the Dept. of Natural Resources and the CMERC of TFW. TFW-F3-92-001. University of WA, Seattle. 75p.
- PFMC (Pacific Fishery Management Council). 1997. Puget Sound salmon stock review group report 1997: an assessment of the status of Puget Sound Chinook and Strait of Juan de Fuca coho stocks as required under the salmon fishery management plan. Pacific Fishery Management Council, Portland, OR.
- Pollock, M. 1997. An Analysis of Current and Historic Riparian Conditions in the Stillaguamish Watershed. 10,000 Years Institute. Seattle, WA. Report to Stillaguamish Tribe Natural Resource Department, Arlington, WA.
- Pollock, M.M., and P.M. Kennard. 1998. A low-risk strategy for preserving riparian buffers needed to protect and restore salmonid habitat in forested watersheds of Washington State. 10,000 Years Institute, Bainbridge Island, WA.
- Puget Sound Indian Tribes and Washington Department of Fish and Wildlife. 2004. Comprehensive management plan for Puget Sound Chinook: Harvest management component. Northwest Indian Fisheries Commission, Olympia, WA
- Puget Sound Technical Recovery Team and Shared Strategy Staff Group. 2003. Integrated Recovery Planning for Listed Salmon: Technical Guidance for Watershed Groups in Puget Sound. February 3, 2003.
- Purser, M.D., R. Simmonds, D.D. Wilcox, and Suzy Brunzell, 2003. Classification and Analysis of August 2001 Land Cover: Snohomish County, WA. Unpublished report of Snohomish County Department of Public Works Surface Water Management Division and Department of Information Services, Everett, WA.
- Quinn, T.P., M.J. Unwin, and M.T. Kinnison. 2000. Evolution of temporal isolation the wild: genetic divergence in timing of migration and breeding by introduced Chinook salmon populations. *Evolution* 54:1372-1385.
- Rawson, K. 2000. Stillaguamish Summer Chinook: Productivity Estimates from Coded-Wire Tag Recoveries and A Simple Model for Setting Interim Exploitation Rate Objectives – January 26, 2000. Tulalip Fisheries. Marysville, WA. 15pp.
- Rawson, K. 2005. Personal communication. Tulalip Tribes, Marysville, WA.
- Rawson, K., K. Currens, R. Fuerstenberg, W. Graeber, M. Ruckelshaus, N.J. Sands, and J. Scott. 2004. Combining Demographic and Habitat-Based Approaches to Triangulate on Viability Criteria for Puget Sound Chinook Salmon Populations (Draft). December 16, 2004.
- Reeves, G.H., F.H. Everest, and T.E. Nickelson. 1989. Identification of Physical Habitats Limiting the Production of Coho Salmon in Western Oregon and Washington. General Technical Report PNW-GTR-245. USDA-Forest Service, Pacific Northwest Research Station, Portland, OR.
- Regetz, J. 2003. Landscape-level constraints on recruitment of chinook salmon (*Oncorhynchus tshawytscha*) in the Columbia River basin, USA. *Aquatic Conservation: Marine & Freshwater Ecosystems* 13:35-49.

- Resource Consulting. 2004. Economics of Riparian Restoration on Selected Stillaguamish Farms, Final Project Report, Arlington, WA, April 20, 2004.
http://www.snohomishcd.org/Final%20Buffers/Stillaguamish_Buffers.pdf
- Rhodes, J.J. and M.D. Purser. 1998. Overwinter Sedimentation of Clean Gravels in Simulated Redds in the Upper Grande Ronde River and Nearby Streams in Northeastern Oregon, USA: Implications for the Survival of Threatened Spring Chinook Salmon. Pages 403-412 in M.K. Brewin and D.M.A. Monita, tech. coords. Forest-fish conference: land management practices affecting aquatic ecosystems. Proc. Forest-Fish Conf., May 1-4, 1996, Calgary, Alberta. Nat. Resour. Can., Can. For., Serv., North For. Cent., Edmonton, Alberta. Inf. Rep NOR-X-356.
- Ruckelshaus et al., Puget Sound Technical Recovery Team. 2001. Identifying populations of Chinook salmon in Puget Sound.
- Ruggerone, G. T., and F. A. Goetz. 2004. Survival of Puget Sound chinook salmon (*Oncorhynchus tshawytscha*) in response to climate-induced competition with pink salmon (*Oncorhynchus gorbuscha*). Can. J. Fish. Aquat. Sci. 61(9): 1756-1770 (2004).
- SASSI (Washington State Salmon and Steelhead Stock Inventory). 1993. Appendix 1: Puget Sound Stocks: North Puget Sound Volume. Washington Department of Fish, Washington Department of Wildlife and Western Washington Treaty Indian Tribes, Olympia, WA. March 1992.
- SaSI (Salmonid Stock Inventory) 1998. Washington State Salmonid Stock Inventory--Bull Trout/Dolly Varden. Washington Department of Fish and Wildlife, Olympia, WA.
- Sharma, R. and R. Hilborn. 2001. Empirical relationships between watershed characteristics and coho salmon (*Oncorhynchus kisutch*) smolt abundance in 14 western Washington streams. Can J. Fish. Aquat. Sci. 58: 1453-63.
- Simmonds, R., M.D. Purser, S. Brunzell, and D.D. Wilcox. 2004. 1991 and 2001 Land Cover in Water Resource Inventory Areas 5 (Stillaguamish), 7 (Snohomish), and 8 (Cedar-Sammamish). Unpublished report of Snohomish County Department of Public Works Surface Water Management Division and Department of Information Services, Everett, WA.
- Skagit County. 2003. Final Programmatic Environmental Impact Statement, Planning and Permit Center, Skagit County, WA, June 12, 2003.
- Snohomish County. 2005. Snohomish County Agriculture Action Plan. March 2005. Everett, WA.
http://www.co.snohomish.wa.us/documents/County_Services/FocusOnFarming/AgActionPlan1-05.pdf.
- Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham, and W.J. Kimmerer. 2001. Floodplain rearing of juvenile chinook salmon: evidence of enhanced growth and survival. Canadian Journal of Fisheries and Aquatic Sciences Vol. 58: 325-333.
- Spence, B. C., G. A. Lomnický, R. M. Hughes, and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp. Corvallis, OR.

*Stillaguamish Watershed
Chinook Salmon Recovery Plan*

- Spidle, A. Unpublished data. Population structure in Chinook salmon from the South Fork of the Stillaguamish River. Memo: March 10, 2005.
- Spidle, A. Unpublished data. When to start a conservation hatchery for Chinook salmon from the South Fork of the Stillaguamish River? Memo: April 5, 2005.
- STAG (Stillaguamish Technical Advisory Group). 2000. Technical Assessment and Recommendations for Chinook Salmon Recovery in the Stillaguamish Watershed. Everett, WA.
- Stanford, J.A., and J.V. Ward. 1992. Management of aquatic resources in large catchments: recognizing interactions between ecosystem connectivity and environmental disturbance. Pages 91-125 in R.J. Naiman, (ed). Watershed Management. Springer-Verlag, New York.
- Stevenson, P. 2005. Personal communication. Stillaguamish Tribe of Indians Natural Resources Department, Arlington, WA.
- Stillaguamish Tribe. 2005. Analysis of Stillaguamish Estuary Use by Juvenile Chinook – A Pilot Study. Report by the Stillaguamish Tribe of Indians Natural Resources Department to the Pacific Salmon Treaty Research Funding Program. Arlington, WA.
- SWM (Snohomish County Surface Water Management). 2002. Wadable Stream Habitat Survey Preliminary Results for the year 2001. Snohomish County Department of Public Works, Surface Water Management Division, Everett, WA. March 2002.
<http://www.co.snohomish.wa.us/publicwk/swm/reports/index.htm>
- Thomas, J. W., E. D. Forstman, J. B. Lint, E. C. Meslow, B. R. Noon, and J. Verner. 1990. A conservation strategy for the northern spotted owl: a report of the Interagency Scientific Committee to address the conservation of the northern spotted owl. U.S. Dept. of Agriculture, Forest Service; U.S. Dept. of the Interior, Bureau of Land Management, Fish and Wildlife Service, and National Park Service, Portland, OR.
- Tschaplinski, P.J., and G.F. Hartman. 1983. Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implications for overwinter survival. Canadian Journal of Fisheries and Aquatic Sciences. 40: 452-461.
- Tynan, T. 2000. Draft Terms and Conditions for Stillaguamish Tribe's Summer/Fall Chinook Hatchery Program. Memo: September 15, 2000.
- USEPA (United States Environmental Protection Agency). 2003. Producer's Compliance Guide for CAFOs: Revised Clean Water Act Regulations for Concentrated Animal Feeding Operations (CAFOs). Publication No. EPA 821-R-03-010. Office of Water, U.S. Environmental Protection Agency. Washington, D.C. <http://www.epa.gov/npdes/cafo/producersguide>.
- USFS (USDA – Forest Service). 1995. Watershed Analysis, South Fork Upper Stillaguamish River. Darrington Ranger District, Mt. Baker-Snoqualmie National Forest. Darrington, WA.
- USFWS (US Fish and Wildlife Service). 2004. Preliminary Technical Assessment for Bull Trout Recovery Planning Efforts. February 24, 2004.

- Waller, A. and P. Stevenson, Eds. 2004. Stillaguamish Lead Entity Strategy. Report to the Stillaguamish Implementation Review Committee and Washington State Salmon Recovery Funding Board. Everett, WA.
- Ward, D. and L. Ransley. 2004. "Targeted Education: Translating Information into Restoration." From proceedings of the 16th International Conference of the Society of Ecological Restoration, August 24-26, 2004, Victoria BC, Canada. 7 pp.
- WCC (Washington State Conservation Commission) 1999. Salmon Habitat Limiting Factors Final Report – WRIA 5 Stillaguamish
- WDF (Washington Department of Fisheries). 1993. 1992 Washington State salmon and steelhead stock inventory (SASSI). WDF Information and Education Division, Olympia, WA.
- WDFW (Washington Department of Fish and Wildlife). 2004. Forage Fish Spawn Data. WDFW Marine Resources Unit. Mill Creek, WA.
- Wissmar, R. C. and R. K. Timm. 2003. Changes in land uses, hydrology and fish habitats in an urban drainage, Cedar River, Washington. Pages 709-714 in Proceedings of the First Interagency Conference in Watersheds, 27-30 October 2003, Bensen, AZ.